

## Accessories

### Spare Wheel Carrier



A neat spare wheel conversion giving more boot storage space. Complete kit, simple to fit.  
(P/Post 4/-)

£29.6

### Miniflectors



In winter Miniflectors provide a constant supply of fresh air without draughts even with windows fully opened. In the winter they warm, comfortable miniflectors together with a clear window and a great safe's factor. Made of transparent plastic hinged on a light metal bracket which is clipped to the door frame. Easy to fit and no mechanical parts to go wrong.

(P/Postage 2/6d.)

£1.19.6

### Johnson Roof Lamps

The Johnson Roof Lamp gives 200' (5000) candle power and is ideal for quality work and shop fittings, road tests, even in the worst possible weather conditions. With grip-on-the-beams is a built-in dust cap, cap with a coil to prevent unwanted glare and is also covered by the highest standards. The reflector is coated in a special chrome aluminium process. The stack includes handle

to absorb vibrations and to prevent a wobble action. It is easily accessible when the driver's feet pass over but will not protrude 4" into the car. The Johnson Roof Lamp is made from the highest quality materials and fitting pattern. It has a lifetime life in any weather and is covered. It is also available with bulb.

(P/Postage 4/-)



£7.19.6

### Mini Manual

"Sunday Times" publication, containing full specification, maintenance, and overhauling procedure. By P. Olyslager.

(P/Postage 9d.)

7s. 6d



We feel sure that in this list you will find the type of equipment you require, and if you give us the pleasure of supplying your needs, we assure you of our very best attention.

SUPER ACCESSORIES have built up a large and successful business over the last few years, by giving first class service, advice and by carrying vast stocks to give immediate delivery where ever it is possible. Add to this our 6 days a week shop service and you have the answer why more and more people rely on SUPER ACCESSORIES to supply "the goods".

We normally write you to come and have a look round and you will not be pressed to buy, but help is always on hand if required.

METHOD OF ORDERING. When ordering by post study either Cheques or Money Order, made out to SUPER ACCESSORIES and cross "S. Co." Orders will be accepted C.O.D. providing the goods can be sent Parcel Post. It is important to include sufficient money to cover the cost of packing and carriage, as shown on this list. If excessive P. Carriage is sent on a collective order, cash or a credit note will be given for the balance.

DELIVERY. Goods are usually dispatched by return post, or passenger train if exceeding 22 lbs. in weight or 4' 6" in length.

(PRICES & SPECIFICATION SUBJECT TO ALTERATION WITHOUT NOTICE)

Monday to Saturday 9-6

# SUPER ACCESSORIES

(L. R. Montgomery & Co. Ltd.), 367 Lewisham High Street, London, S.E. 13. Tel: Leo Green 1091

(Opposite Lewisham Hospital)

## Speedwell Engine Kits

b

### WHAT IS A SPEEDWELL ENGINE CONVERSION?

There are many methods of tuning an engine but most of them are either too costly to install or uncommercial to run. Speedwell engine kits avoid both these extremes as they are designed to provide a very real increase in performance throughout the speed range, coupled with complete reliability and safety. There is no increase in petrol consumption when driven normally.

Basically, two carburetors are fitted to a redesigned cylinder head, carefully developed under dynamometer and flow rig testing. To suit all engines and enable the owner to improve his engine in stages, the equipment is available as SPORT, GRAND TOURING or BIG CLASSIC kit. All components have been tested by many thousands of miles of actual participation in international races and trials, and every stage of development has been carefully checked and analysed to ensure that power increase is filled with smooth quiet running, easy maintenance, good petrol economy and complete reliability.

### Sport Kit

Valve springs,  
Inlet manifold, Balance pipe,  
Additional SU carburetor  
(or Twin Amal or Weber)\*  
Air filter, Fuel pipes,  
Clutch cable, Ignition silencer,  
Oil additive, Linkages,  
Ignition plate, Body flash, etc.  
(\* £5 extra)

**£27.0.0**



Performance Data:	0-30 mph	0-40 mph	0-50 mph	0-60 mph	Max. mph	Max. rpm
Standard	6.4 secs	10.9 secs	16.9 secs	23.4 secs	82	3600
SPORT KIT (SU)	5.2 "	8.4 "	12.5 "	18.5 "	88	3900
SPORT KIT (Amal)	4.9 "	7.8 "	11.5 "	17 "	90	4100

SPORT kits are designed to give a worthwhile improvement in performance for a very modest outlay. Kits are available with SU carburetors or Amal. In the case of the SU specification, only one additional carburetor is supplied, plus all the necessary parts needed to modify the existing carburetors fitted to standard equipment on the car. For that reason the kit is somewhat cheaper. Amal carburetors give better acceleration and top speed but slightly less flexibility and economy. In either case the original exhaust manifold is used by cutting off the inlet section. Alternatively, a full-flow three-branch tubular manifold is available at an optional extra.

Type	Price
SA, 1 (SU)	£27
SA, 1/A (Amal)	£35
SA, 1/A (Weber)	£42

(P/Carriage 1/6d.)

## Speedwell Engine Kits

b

### Grand Touring Kit

The Sports Kit can be converted to the G.T. Kit by the addition of the Alloy Cylinder Head. The Speedwell light alloy cylinder head is an outstanding new design which provides 20% increase in power, exceptional flexibility and fuel economy. Excellent heat dissipation allows the use of a cylinder 10:1 compression ratio. Unusually quiet flame travel results in a cool sparking plug even under continuous heavy driving. Anodized iron valve seats ensure long life. The extra power produced by the cylinder head suits for improved valves. Speedwell racing valves are world famous for quality and design. Over-size inlet valves are made of EN 32 steel and exhaust valves in KE 303.

Austin Seven and Mini-Minors should be equipped with two carburetors before fitting a modified cylinder head. Minor-Cooper owners will start at this stage as these cars are already fitted with twin carbs.

The Speedwell rocker gear has an effect similar to fitting a high lift camshaft. It will maintain the characteristics of the standard cam but with accelerated opening and closing rates. The complete set comprises 4 rockers with 4 studs with adjusting screws which are fitted to the original rocker shaft and studs.

The Speedwell Light Alloy Cylinder Head, completely assembled with special valve springs.

(P/Carriage 2/6d.)

**£39.10.0**

Less £5.00.00 if purchased with Sport Kit.

Special plate set £1. 17. 6.

Set of 4 sparking plugs £1. 0. 0.

Special ball rockers £10. 10. 0. (P/Post 4/-)

## Speedwell Exhaust Systems

b



Full-flow Manifold suitable for all Models **£8.15.0** (P/Postage 4/6d.)

Supertone Silencers suitable for all Models **89s6d** (P/Postage 5/-)



Normal baffles-type silencers hinder the flow of exhaust gases and reduce the efficiency of your engine. Speedwell Exhaust Systems, by incorporating Supertone Silencers with straight through service absorbers allow these gases to escape freely and enable your engine to develop its full power with maximum fuel economy.

The Speedwell full-flow exhaust manifold assists in extracting residue gases from combustion chambers, after each exhaust stroke, and ensures that there is no pressure build-up anywhere through the system. This guarantees maximum efficiency.

The exhaust note becomes more sporty in keeping with the extra surge you will get from your engine.

## G.N. Exhausts

G.N.'s can always be relied upon to give first rate value for money, and their MINI equipment is no exception. All their products are really well made and superior in finish, and we recommend them with every confidence.

### Straight Through Silencer with Twin Tail Pipes For All Minis

a

Allowing maximum engine efficiency, and giving a sporting note, these silencers are finished in flow crackle with chromium plated pipe ends. (P. Postage 3/6d.)  
Twin pipe silencer for Mini-Cooper. (P. Postage 4/6d.)

£3.10.0  
£4. 0.0



### Straight Through Silencer with Single Tail Pipe (P. P. A. V.)

a

£2.2.6

### G.N. Free Flow Manifolds for all Minis

b

This latest Mini Manifold is outstanding value for money. It is a top quality extreme manifold COMPLETE WITH EITHER SINGLE OR TWIN INDUCTION MANIFOLD.

The Single Induction Freeflow Manifold combines maximum efficiency with real economy, and utilizes the normal 80 carburettor already fitted to your car.

The Twin Induction Freeflow Manifold accepts the existing 110 carburettor, plus another similar one. The unit is designed to give performance at only modest increase in consumption.

Both manifolds are beautifully made, and finished in dull nickel plate.

Single type FREEFLOW MANIFOLD (P. Postage 6/6d.)

£9.17.6

### Exhaust Pipe Trim

a

Chromium plated exhaust pipe trim to fit standard MINI alloy cars. (P. Postage 1/6d.)

9s.0d

## Peco

## Mini Hi-Performance

(Peco Phase 2)

### Exhaust Conversion Kit

#### PECO PAKES POWER:

**TECHNICAL PRINCIPLE:** Incorporating the principle of the PECO Exhaust Tuning Unit, developed by PECO Engineers as a result of acoustograph study of exhaust pressure waves, this equipment automatically 'tunes' the exhaust system over the whole rev range. For the first time the motorist could now buy a package 'bolt-on' exhaust system which will release the maximum power of which the manufacturer's engine is capable with absolutely unimpaired reliability.

**EXTRA POWER:** A considerable increase in engine power is given - the hidden power normally lost in overcoming the adverse effects of the conventional exhaust system. This means **BETTER PERFORMANCE AND GREATER ECONOMY.** The PECO conversion kit equipment, because of the 'corrected' action of the tuning unit enables the best results to be obtained from a specially designed silencer of the straight-through type. As modern engineering knowledge has shown, in some cases a straight-through silencer on its own may actually give a worse performance than a conventional baffled type. This is because, while a straight-through silencer may appear to let out the gases more readily than a conventional baffled type, it may in fact cause more restriction to the flow because of reverse pulses or back pressure waves which cause the straight-through silencer as the one has nothing to absorb or prevent this back flow wave effect.

**PECO HI-PERFORMANCE Conversion Kit** consist of a specially designed PECO Hi-Performance straight-through silencer, tuning unit, all support brackets, anti-vibration mountings, piping where necessary, dual chromed tail-pipes and full detailed, easy-to-read instructions to enable a simple fitting without any elaborate tools whatsoever.



#### PECO PHASE 2

Boost Kit for Mini-Minor & AT complete with Booster Tuning Unit and simple fitting instructions.

(P. Postage 4/6d.)

£6.19.6

**EXHAUST BOOSTER TUNING UNIT** only, chromium pipes. **65s.0d**

## Jeffrey Camshaft

c

Jeffrey has come quickly to the fore in supplying camshafts to meet the needs of Formula Junior engine tuners, and the camshaft we offer is ideal for hotting-up your Mini with or without other engine modifications.

Most production engines have to be versatile units, capable of powering a variety of vehicles from a VAN to a sports car, and since the same camshaft is usually used for all types, it will be obvious that the timing diagram cannot be ideal in all cases. If you wish to see your Mini as a sports car and are prepared to sacrifice a small loss in power at low revs, then by means of a Jeffrey Camshaft, your engine will deliver greater power at medium and high revs. Used with average modifications to the engine, a power output of about 25% will be realized.

Tuning: Inlet, 17.5°; Exhaust, 22.25° (LH), .700°  
Price: New (P. Postage 3/6d.)  
Exchange (W. Postage 3/6d.)

Outright price: **£11. 0.0**  
Exchange: **£7.10.0**

## Supaflow Manifolds

Our 'SUPAFLOW' Manifolds combine good design, quality and finish, at an extremely reasonable price. Both Exhaust and Induction Manifolds are BRIGHT NICKEL PLATED to give sparkle to appearance as well as performance.



'SUPAFLOW' EXHAUST MANIFOLD	(P/Carriage 4/-)	<b>£7.10.0</b>
'SUPAFLOW' SINGLE INDUCTION, to accept existing SU carburettor.	(P/Postage 2/6d.)	<b>£4.4.0</b>
'SUPAFLOW' TWIN INDUCTION, with balance pipe, for SU carburettor.	(P/Postage 2/6d.)	<b>£4.4.0</b>
'SUPAFLOW' TWIN INDUCTION, COMPLETE with 1 new SU carburettor, conversion needle for existing SU, connection pipes, linkages, twin choke cable, etc. A complete SU conversion.	(P/Postage 5/6d.)	<b>£13.10.0</b>

### Air Filters

Pancake type air filters specially for the MINI. With H1 or H2 S.U. carburettors on twin induction. One filter is fitted with a breather pipe extension. Per Pair (P/Postage 3/-)

**£1.17.6**

### High Compression Head Gasket

High compression Copper & Asbestos cylinder head gasket. (P/Postage 2/-)

**8s.0d**

### Nylon Throttle

Smooth action throttle cable, with nylon lined outer cable giving delicate 'touch'. (P/Postage 1/-)

**5s.3d**

## Super Accessories Weber Conversion



This is a complete, simple-to-fit bolt-on conversion, at a really down-to-earth price! Besides giving vastly better acceleration, the conversion also results in sparkling top gear performance, including improved hill climbing in this ratio. Not only is this kit a boon to the fast driver, but also to the many who write to us enquiring how to improve their car's hill climbing abilities in hilly districts. **UNBEATABLE QUALITY & PRICE!**

**COMPLETE KIT (P/Carriage 7/6) £25.0.0**

KIT COMPREHENSIVE - O.N. PLATED EXHAUST MANIFOLD, HOT-SPOTTED INDUCTION MANIFOLD, WEBER PROGRESSIVE TWIN-CHOKE DOWNDRAUGHT CARB., NEW CHOKE CABLE, FUEL PIPE, ETC.

EXTRA STRONG VALVE SPRINGS available for this conversion, 30/- extra.

WEBER AIR FILTER, 25/- extra.

### Engine Stabilisers

Stabilising the engine mounting reduces exhaust pipe fractures, improves gear changing and reduces lever movement. Special cone shaped sleeves, complete with fitting instructions. (P/Post 9d.)

**3s.9d**

### Exhaust Pipe Coupling

Special flexible coupling pipe to replace fractured top end of Mini exhaust pipe. Original pipe tends to fracture just below exhaust manifold and this new coupling will repair and prevent future fracture. (P/Post 2/6d.)

**15s.6d**

### Rocker Covers

'Alexander' Cast Aluminium polished Rocker Cover (P/Post 3/6d.)

**£4.10.0**

Chromium Plated Rocker Cover, greatly enhances under bonnet appearance. (Exchange) (P/Post 2/6d.)

**£2.5.0**

### Sump Guard

'Speedwell' sump guard made from very heavy gauge galvanised steel plate. Not the cheapest on the market but certainly the STRONGEST. (P/Post 5/-)

**£4.19.6**

## The Tuning Sequence

The logical manner of improving the engine's output can be clearly understood (although it is, unfortunately, not always followed) by realizing its needs in the proper order. Firstly, the mixture should be adjusted to the engine as effectively as possible since, if it is not, all further improvements must be restricted in effect. Therefore, the first step is to concentrate on the inlet manifold and carburetor arrangement, to ensure that the cylinders receive their supply of mixture with the utmost efficiency. Aquaplane Twin Carburetor Manifold supply the perfect answer to the problem.

Secondly, the mixture having been delivered to the working cylinders, it should be more effectively converted to power. This is done by utilizing the latest Aquaplane Alloy Superhead which, operating at a higher compression ratio and embodying the other exclusive features described elsewhere in the booklet, also provides the ultimate in fuel utilization.

Thirdly, the exhaust gases must be freely expelled and attention to the exhaust system will then be necessary. While the original exhaust arrangement is capable of handling the volume of gases emanating from the engine in standard form, when more power is developed this volume increases and a free exhaust becomes really effective. Aquaplane covers this need in exhaust manifolding.

## Twin S.U. Induction Complete

V/Carriage 3/-) AIR FILTERS 27/6d. PAIR EXTRA  
Please quote Ref. No. AT- AT/900/2 BUR.  
MINI MINOR - MIN/900/2 BUR.

The Aquaplane Twin Carburetor Manifold illustrated represents the ultimate in technical design and is constructed in vibration-resisting Aluminium Alloy which forms a SINGLE CASTING.

Large diameter straight-through ports ensure maximum flow with the least possible restrictions.

An exclusive scientifically-proportioned venturi is an important feature which, since it is an integral part of the manifold, precludes any possibility of air leaks to which other designs are prone. While this Manifold is capable of producing the very BEST POWER OUTPUT it has designed into it a quality which allows a very "smooth" performance at the lower speeds, the synchronization of the carburetors being not so critical as in other designs. It is, therefore, eminently suitable for use as well as for the production of the HIGHEST PERFORMANCE requirements.

The Manifold is beautifully made with the latest laser finish fitting and of such exacting constructive design that it is a complement to an engine of which you are proud.

Twin semi-down-draught S.U. Carburetors of the correct specifications meet the optimum mixture at all engine speeds, jet sizes, etc., being determined before leaving the factory.

An interlocked float-valve is incorporated to provide particularly easy starting even at low engine speeds.

The air comes complete with 2 carburetors, all pipes, brackets, etc., ready to replace the existing single carburetor manifold in the easiest possible way. The use of 1/8" Pipes while not included in the price, is strongly advised and they are of a type giving the maximum resistance to the ingoing air whilst allowing outgoing harmful dirt. One air filter has provision for receiving the oil breather connection and, when ordered with the Manifold, the necessary fittings for connecting the breather are included without charge.



£17.19.0

(V/Carriage 3/-)

## Exhaust Manifold

This Manifold is of highly efficient design and entirely eliminates the detrimental restrictions which exist in the original. It should be fitted as a complement to the Aquaplane Twin Carburetor Manifold in order to ensure the free exhaust which becomes increasingly important as the power of the engine is improved.

This Manifold has smoothly swept pipes which form an independent CASTING. The centre pipe (which has to handle the exhaust of two cylinders from the single port) is of DOUBLE AREA. It is clearly swept away thus completely eliminating the power loss caused by the acute restriction at this point in the standard design.

Another exclusive feature of the design is the detachable outlet adaptor which allows Manifold to be connected either to the original exhaust pipe and silencer system, or, by changing the outlet adaptor, it can be used with the Aquaplane High Efficiency Exhaust System. The standard exhaust pipe and silencer arrangement is constructed in very small diameter pipe which is not conducive to the attainment of a free exhaust - especially when the engine is developing more power.

The Aquaplane High Efficiency System uses large diameter pipes throughout plus a straight-through silencer which easily replaces the original system.

The illustration shows the manifold fitted with adaptor for standard exhaust pipe. The large-bore adaptor is shown on the left.

NOTE: It is not possible to use the Aquaplane Exhaust Manifold with the standard single carburetor inlet manifold. (See Tuning Sequence)



EXHAUST MANIFOLD (Low Adaptor) (Ref. No. A7/1400) (V/Port 4/-)  
ADAPTOR TO SUIT EXISTING PIPE SYSTEM (Ref. No. A7/EX/STO)

## Super Lightweight Alloy Flywheel

The most exciting addition to the Aquaplane range of Speed Equipment, is the Aquaplane Alloy Flywheel. This wheel produced phenomenal acceleration and is often the hidden secret of success in easy a competition.

As with other famous Aquaplane Alloy Flywheels, this wheel is manufactured in SPECIAL HIGH-TENSILE ALUMINIUM ALLOY. This wheel is beautifully machined to ALL SURFACES to the highest standards. Complete with starter gear ring, the wheel comes ready to fit. Installation is, therefore, a matter of simple attention. Originally produced exclusively for competition, the latest wheels now incorporate a STEEL PRESSURE-FACE INSERT. The most important feature gives the wheel a life approximating that of the original iron one. This extension in wearing quality now makes the wheel suitable for everyday use when it will be of immediate interest to every sporting driver. The spectacular weight reduction is 11 lb. The Aquaplane Wheel only weighs 10 lb. against 21 lb. for the standard one. The extremely rapid acceleration available through the Aquaplane Wheel may well confound the driver of cars not so familiarly equipped.

NOTE: Owners are warned that indiscriminate experimentation in lightening the standard flywheel can be dangerous.

MINI MINOR and AUSTIN 7 FLYWHEEL (V/P 3/6d.)  
(Ref. No. A7/1003/1)



£6.0.0  
£1.0.0

£14.12.6

## Aquaplane

### Racing Double Valve Springs

For the attainment of full power and lightning valve action at engine speeds in excess of 7,000 r.p.m. it is essential to use special valve springs having different characteristics and strength than those normally fitted. Aquaplane Double Springs are of the correct specification to allow the engine r.p.m. to rise to a figure above that at which the "peak" power is developed - thus providing the requisite safety margin which is necessary WITHOUT INJURIOUS LOADING ON THE VALVE ACTUATING MECHANISM.

These Springs simply replace the originals without modification.  
(Ref. No. AT/325/9) Per Set (P/Post 1/34.)

£2.5.0

### Aquaplane O.H.V. Alloy Superhead

Designed and manufactured by AQUAPLANE - the acknowledged specialists in Aluminium Alloy Cylinder Head production. AQUAPLANE Alloy Cylinder Heads are in use, at this moment, in most countries of the world. AQUAPLANE designed Alloy Superheads work reliably in grueling commercial use in the tropics, at continuously high speeds on the Continental airways, or cars used for business purposes by the mass to a hurry, so successful competition of all kinds and, of course, their unsurpassable success in racing, confirms their ruggedness and dependability in all conditions.

#### EXCEPTIONAL FEATURES

Manufactured in Special Aluminium Alloy to the highest Rolls Royce specifications. Price buys the Superhead complete ready to fit. It comes complete with all valves ground-in and with the Double Valve Springs fitted - nothing extra to buy.

Weight under half that of the cast iron standard cylinder head (which alone produces a dynamic improvement in power/weight ratio).

High compression ratio for increased power output, and fuel economy.

Larger ports of efficient design for improved gas flow, higher power and speed.

Larger valves for higher power output and increased r.p.m.

Exhaust valves in KE 965 material, for reliability at higher engine speeds and temperatures.

Double Valve Springs to ensure correct valve operation at the highest speeds, giving reliability during extreme r.p.m. and continuously high-speed motoring.

It is possible to refit the standard manifold so that the Superhead can be used without the necessity of further expense. The Superhead used by itself, will provide the ultimate in fuel economy.

The Special AQUAPLANE Manifold fits the Superhead without modifications to either. It provides the most powerful combination for high speed road use, competition or serious racing.

The Superhead provides higher speeds - much faster acceleration - far better r.p.m.

The Special Aluminium Alloy from which the Superhead is constructed provides vastly improved heat transfer. This allows the use of the usual pump fuels at extremely high compression ratios.

ALLOY SUPERHEAD (P/Post 1/34.)

£34.18.6

PLEASE NOTE: It is important to use Lodge RL 47 Plug with this head.

ea. 10s.6d

### Sports Coils

LUCAS SPORTS COIL giving very high electrical performance (P/Post 3/6d.)

£2.1.6

WIPAC SPORTS COIL, with lightweight aluminium body and special oil filling to dissipate the heat generated by its large output. (P/Post 3/-)

£1.7.6

## Aquaplane

### Oil Cooler Assembly



One of the hottest parts inside the modern engine is the lubricating oil itself, and at these very high temperatures the oil is little better than paraffin. Can we wonder that excessive wear, noise, sludge incrustation, fumes, etc., are taking their toll on the modern, high revving engine? The purpose of an Oil Cooler is, therefore, to reduce oil temperature to a level which will maintain its lubricating quality, and so an essential fitting to all Motos that are used "hard". The Aquaplane Oil Cooler is quite easily fitted, without the necessity to drill any holes in the engine or change it in any important particular from standard. Mounting of the Cooler is facilitated by the universal type of attachment, but should be mentioned so that it receives adequate supply of cool air.

Price complete (P/Post 4/6d.)  
(Ref. No. AT/3000/OC/FF)

£9.15.0

## Valve Gear

TERRY'S "AERO" EXTRA STRONG VALVE SPRINGS Interchangeable with standard springs, but allowing for much higher revs. Per Set (P/Post 1/34.)

13s.0d

"SUPER" EXTRA STRONG VALVE SPRINGS Guaranteed finest quality, made specially for Super Accessories. WIR greatly increase revs. before valve bounce. Interchangeable with standard springs. Per Set (P/Post 1/34.)

£1.12.6

STANDARD INLET VALVE Best Quality EN 32 Each (P/Post 2/-) 6s.6d  
OVERSIZE INLET VALVE 1.1/16" or 1 1/8" dia. made in EN32 steel Each (P/P per set 2/-) 8s.6d  
EXHAUST VALVE Best Quality KE 965 Each (P/P per set 2/-) 10s.6d  
VALVE GUIDES Top quality guides at substantial prices. Each (P/P per set 1/6) 2s.6d  
ROCKER SHAFT Each (P/P 1/6) 1.2.6  
BUSHES Each (P/P per set 1/6) 1s.0d  
VALVE LIFTER Good quality roller cam action (P/P 2/-) 17s.0d

## Speedwell Suspension

### Anti-Roll Bar & Telescopes



#### WHAT IS SPEEDWELL SUSPENSION EQUIPMENT?

There are two main items - anti-roll bars and telescopic shock absorbers. Both have been carefully designed to improve road-holding in relation to spring rate, load weight, performance and steering characteristics, and have been produced after exhaustive tests under both normal road and race track conditions.

#### EXACTLY WHAT IMPROVEMENTS CAN BE EXPECTED?

Big immediate advantages are the reduction in body roll and the increased body control. Passengers no longer need to "brace" themselves for every corner. Faster yet safer average speeds can be maintained with less effort. In addition, steering "feel" becomes more responsive, as any correction on the wheel is immediately effective without the usual lag motion due to initial body roll, an especial benefit with vehicles tending to oversteer. Speedwell telescopic shock absorbers eliminate axle tramp and "float" at high speeds.

#### WHAT DOES SPEEDWELL SUSPENSION EQUIPMENT CONSIST OF?

##### Speedwell Anti-roll Bars

High grade spring steel bars, finished in aluminium resin to resist corrosion, designed to fit each vehicle without affecting ground clearance. Supplied complete with knuckle tubes, brackets, rubber bushes, nuts and bolts, strengthening boxes where required, and full fitting instructions. One year guarantee.

##### Speedwell Wim-system Telescopic Shock Absorbers

Double action adjustable telescopic shock absorbers are supplied complete with rubbers, fitting instructions etc. Shock absorber casing is made of cold drawn seamless heavy gauge steel tube, control valves are of high duty spring steel, all hydraulic passages are precision machined, and flow tested prior to assembly.

#### SPEEDWELL SUSPENSION EQUIPMENT FOR A SMOOTHER, STRAIGHTER, SAFER RIDE - NO MATTER WHAT YOU DRIVE.

**PRICE** ANTI-ROLL BAR, for rear only (P/Post 3/6d)

**£7.00**

**SPEEDWELL TELESCOPIES,**

for front and rear, (P/Post 4/6d per pair)

**£8.15.0**

## Brakes

### Exchange Brake Shoes

By buying in large quantities, we are able to pass the benefit to our customers and we are offering a discount of 10% off list price on fixed brake shoes.

These top quality, exchange shoes may be purchased before you start your brake overhaul by paying a deposit of 20%, which is refundable as soon as we receive your old ones. We can supply 1/2 or full car sets.

Exchange Brake Shoes, 1/2 Set (Front or Rear)-		
(P/P 2/6d.)	<b>£2.11.0 less 1</b>	<b>£1.14.0</b>
	Full car set	
(P/P 4/-)	<b>£5.2.0 less 1</b>	<b>£3.8.0</b>

### Mintex Racing Linings

Special high friction linings that are a "must" on standard or tuned MINIs. Take Jack Brabham's advice and fit MINTEX!

Exchange, lined shoes, full car set (P/Post 4/-)	
Deposit against return of old shoes, 20% per set.	<b>£5.4.0</b>

### Fly-Off Hand Brake

- a** Immediately replaces normal MINI handbrake lever. Fitted with Plastic "Ingeroff" grip. (P/Postage 2/-) **£2.2.0**

### Hand Brake Grip

- a** Of pleasing appearance, this cross P.V.C. plastic handle is fingered to give a sure, pleasant "feel" to the brake lever. (P/Postage 3d.) **3s.0d**

### Girling Vacuum Servo Kits

- b** This new Power Braking Unit gives immediate and powerful response from the lightest foot pressure. It will get the utmost from your brakes, and its fast braking response will give added confidence and command to every driver. For less fatigue, more relaxed safer driving the Girling Vacuum Servo Kit is money well spent. Complete with fitting instructions. (P/Carriage 5/6d.) **£13.0.0**

## Security Locks

### 'Key Leather' Bonnet Lock

- b** Interior operated bonnet lock release, giving greater security to the "works". (P/Postage 1/6d.) **19s.9d**

### 'Lander' Security Lock

- b** Here is extra security for Mini owners, as the Lander Lock gives double anti-theft protection to either door. Once fitted, it will permit entry only by the keyholder. Even if the window is forced the car door cannot be unlocked from inside. Locks available to pairs or singly. (P/Postage 9d.) **12s.6d**



## 'Styla' Accessories

- A** STYLA AIRLINE EXTERIOR, AIRLINE style, with insulation 4 in. H. (SFF 17) 30/2
- B** STYLA AIRLINE, AIRLINE Chrome and Brass. (SFF 17) 30/2
- C** STYLA AIRLINE, Chrome, Two Wheel Buffing, set of two. (SFF 17) 30/2
- D** STYLA AIRLINE, U.S. Standard Airplane, complete with Airline 2 in. H. Set of two. (SFF 17) 30/2
- E** STYLA FIVE SPEED, Standard Aluminum, complete with Airline 2 in. H. Set of two. (SFF 17) 30/2
- F** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2

- G** STYLA AIRLINE, Standard Aluminum, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- H** STYLA AIRLINE, Standard Aluminum, complete with STYLA AIRLINE and Insulation 4 in. H. Set of two. (SFF 17) 30/2
- I** STYLA AIRLINE, Air-Conditioning, 12" x 12" x 12". (SFF 17) 30/2
- J** STYLA AIRLINE, Chrome Wheel Caps, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- K** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2

- L** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- M** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- N** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- O** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- P** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- Q** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2

- R** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- S** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- T** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- U** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- V** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2
- W** STYLA AIRLINE, U.S. Standard Airplane, complete with STYLA AIRLINE. Set of two. (SFF 17) 30/2



## Gear Levers

### Mini-Change Remote Control by Sackville

This is a remote control at a reasonable price, and is both ingenious and simple. Whilst in construction, it can be installed in the car other than drilling two 5/16" dia. holes in the propshaft tunnel.

The unit is bolted rigidly to the gearbox by merely removing the existing gear lever and retaining flange, and replacing by a similar flange attached to the remote gear control mechanism. It is supported at the back by bolting to the propshaft tunnel.

During a positive gear change and bringing the lever right to hand, the CHROMIUM-PLATED remote control will add greatly to your enjoyment in driving your Mini.

Mini-Change complete with Rubber Foot

(P/Package 1/6d.)

£8.5.0



### Deluxe Mini-Change by Sackville

The MINI-CHANGE Remote Control Gear Lever is now available in DELUXE form. All mechanism is concealed beneath a seat panel, whilst the wooden-finished gear lever comes nicely to hand. Simple to fit in about 90 minutes, the Deluxe MINI-CHANGE is complete as shown.

DELUXE MINI-CHANGE complete with Black, Blue or Red high-gloss Straglass Tunnel

(P/Package 3/6d.)

£9.12.6



### Mini Gear Lever Extension

This steel tube extension screws directly to the top of the MINI Gear Lever, and eliminates awkward leaning forward for gear changing.

(P/Package 1/6d.)

5s.6d

## Gear Levers

### 'Major Change' Remote Control by S.P.Q.R

Gear-changing becomes a pleasure with the crisp, precise and positive action which this high quality accessory will bring to your Mini. The short gear lever comes ideally to hand and the ingeniously engineered, rubber mounted mechanism eliminates rattle and vibration. Installation can be carried out in any garage, or by the handyman with a few elementary tools in a couple of hours, full instructions and templates being provided with each set. It is necessary to cut a small rectangular aperture in the floor, which are located by the template provided, and the drilling of a few holes. The feet in place sailing - and happy motoring. Your MINI is transformed.



Standard model, with black plastic treadle, vinyls, covered tray, chromed gaiter ring, and gear lever. (P/Package 4/6d.)

£13.9.0

THOROUGHLY RECOMMENDED BY  
SUPER ACCESSORIES

De luxe model, as above but with treadle covered in special quality black vinyls.

(P/Package 4/6d.)

£16.9.6

### Swan-Necked Gear Lever Extension

This is a larger extension than the one listed on the opposite page, bringing the knob approximately 17" nearer to the driver. Chromium plated finish. (P/Package 1/6d.)

Woods Knot to suit, EXTRA

9s.0d

4s.9d

### Organ Pedal

This polished, cast aluminium Organ Pedal with hinged, foot-attachment is suitable for either throttle pedal or dipper switch.

(P/Package 1/-)

17s.6d

## Mini Grilles & Badge Bars

### Benefite Grille

A distinctive grill that will greatly enhance the appearance of your Mini. It is available either as a plain grille, or with cut-aways and special brackets to mount auxiliary lamps, as shown in the illustration. Lamps mounted in this manner are obviously less vulnerable to damage than externally mounted auxiliary lamps.

(P/Carrriage 3/6d.) **PLAIN GRILLE £4.9.6**  
**LAMP MOUNTING GRILLE £4.18.6**

Note: 1962 models require special ALL DTAKE, 1/6d. extra

### LAMPS TO SUIT BENEFITE GRILLE

Whilst other types of auxiliary lamps can be fitted, we have found from experience that the following Lucas Lamps are the most suitable.  
**LUCAS FOG LAMP (WFF 376) £3.15.0**  
**LUCAS SPOT LAMP (WLR 376) £3.15.0**  
(P/Postage 3/6d. each)



### Bajbar

Circuit-plated Badge Bar, complete with 3 badge clips. Length 12". (P/Postage 2/-) **£1.5.0**

### Wipac Badge & Lamp Bar

Specifically designed for Mini, this brilliantly chromium plated Bar has 4-point mounting, but requires no hole drilling when fitting.

Ideal for mounting auxiliary lamps, horns, badges. Complete with all fixing bolts and washers.  
(P/T 3/6d.) **£3.10.0**



### Mini Badge Bar

Heavily chromium plated badge bar, mounting on existing bolt holes. Easy to fit, and leaves no 'scars' if removed.

(P/Post 3/-) **£1.18.6**



## Lamps

### Wipac Fog & Spot Lamps "SILVER KNIGHT"

Of our wide range of Wipac lamps we select the Silver Knight as being the most popular with the Mini owner who wishes to mount his auxiliary lamps on a ledge or lamp bar. This matching pair are most attractive in Sparkling Chromium plate, shatter made, and give outstanding performance at their very modest price, which includes special brackets to attach the lamps to bars.



Each (P/Postage 2/6d.)

**38s.6d**

### Miller Mini Lamps with mounting brackets

These excellent little lamps are supplied in matching Fog and Spot, complete with switch, cable and special chromium plated mounting brackets which pass through in the grille and extend downwards to attach to existing bolts and nuts. The ideal method of fitting auxiliary lamps to your Mini.

Each (P/Post 3/-) **50s.0d**



### Headlamp Flasher

Steering column mounting, complete with single fitting instructions.  
(P/Postage 3d.)

**18s.6d**

### Mini Boot Extension

Quickly fitted, without drilling in 30 minutes and increases boot capacity by 50%. Made from colour impregnated, rust-proof glass-fibre with bonded reinforced floor. Can be removed if you sell your car; completely water and rattle proof, supplied with special length strain wires and sealing rubber.

Available in red, blue, white or undercoated to allow spray finish to your own particular shade.

(P/Carrriage 7/6d.)

**£12.10.0**



## Interior Silent Travel

The MINOR car is constructed in one shell. Braces and cross members anchor engine, transmission and suspension to the body. This method produces a very strong metal box but also, unfortunately, a perfect soundbox. Often, therefore, you travel in discomfort to the sound of drumming, engine and mechanical noises. The remedy is in blanketing all noise at source. This can be easily done, economically and efficiently to almost every popular car by fitting an INTERIOR SILENT TRAVEL sound-insulating set. Heavy texture insulation is applied at such places as flooring, body panels, transmission drives, gearbox, rear axle, and under the bonnet. The result, when properly completed is quiet and peaceful travel. Your car will be a greater pleasure to use - contributing to a more relaxed frame of mind. To coin a slogan - TRAVEL SILENTLY - TRAVEL SAFELY.

**AT 8 MINI MINOR VAN & COUNTRYMAN**  
with insulation for roof  
per Kit (P/Carriage 1/64.)

**£8.0.0**

A new kit has been introduced to give a finished appearance to the MINI VAN. - THE VAN TRIM KIT, comprising Pale Grey P.V.C. Beading and Side Panels, is sure to add a touch of luxury and warmth, whilst giving a light appearance, and helps to stop drumming and condensation.

(P/Carriage 7/64.)

**£5.15.0**

**VAN TRIM KIT (as above) PLUS INTERIOR SILENT TRAVEL SOUND INSULATION SET**

(P/Carriage 10/64.)


**£10.0.0**

**AT 8 MINI MINOR SALOON**  
Per Kit (P/Carriage 7/64.)

**£5.0.0**

Complete with insulation for rear and parcel shelf  
Per Kit (P/Carriage 7/64.)

**£6.5.0**



## Continental Mud Guards

(P/Post 3/-) per Pair **35s.0d**

Continental Mud Guards are the latest, simplest, yet most effective extra, designed to make driving safer. They are attached snugly and securely to the rear wheel arches, protecting the panels and bodywork against flying stones and oncoming mud. They incorporate large reflectors for protection during night driving and an additional safeguard in fog. Fitting Continental Mud Guards is courtesy protection, too, for the driver behind whose windows are safe from flying stones, mud and dirt, which also means less danger from behind and greater safety for you. Apart from providing safer, clearer driving, Continental Mud Guards vastly improve the appearance of your car. Available in Royal Blue or White, they lend a sleek, streamline appearance to any design of car, motor cycle or cycle, and are ideal protection if you are using a caravan.



## Body Accessories

### Relaxed Driver Kit

The Kit consists of two adjusting plates allowing the seat to go back 2" or 3" farther, but retaining normal seat adjustment, and also increasing angle of rucks if desired. Gives adequate leg room for drivers up to 6' 4" tall. In addition, a chromium plated STEERING COLUMN ADJUSTER is included, to lower the column and give a more comfortable driving position.

COMPLETE KIT (P/Postage 2/6d.) **12s.6d**



### 'Restall' Adjustable Back Seat

Beautifully upholstered to form, giving good lateral and knee support. The seat back is adjustable through an angle of 30° by simply turning a knob. Fits original floor mounting. Available in BLACK only.

Each (P/Carriage 10/-)

**£16.0.0**



### Plastic Number Plates

Best quality self adhesive background, letters and numerals. Per plate (P/Post 1/6d. singly or pair)

**8s.0d**

### Mini Van Rear Seat

Folds flat into the floor to retain full load carrying capacity. As a 2-passenger seat, it gives adequate head-room and excellent leg space. Fitting instructions are included, which are approved by B.M.C. No Purchase Tax obligations are involved. Made in foam rubber and covered with TAN or GREEN P.V.C.

(P/Carriage 7/64.)

**£13.15.0**



### Van Window Set

Convert your Minivan into a smart Estate Car! This window kit comprises 2-toughened glass windows, and the rubber mounting strip with plastic-chrome insert. We can also loan a tool to help fit the rubber, free of charge against a deposit of 20/- The Kit (P/Carriage 20/-)

NOTE: We advise you to consult your local Customs and Excise Officer for advice re Purchase Tax obligations.

**£8.0.0**



## Interior Accessories

b

### Door Handles

Lever-type handles to replace the inferior cord pull action. Easily fitted with just a screwdriver in a few minutes.

**DE LUKE** - Finished high standard polished chrom with Hoopra knob. Per Pair

17.6d

**STANDARD** - Full chromed plated finish. Per Pair

10.6d

**CURVED TYPE** - Handless design, plated finish. Per Pair

12.0d

(All types P/Postage 1/6d. per pair)



### Seat Covers

We can always supply beautifully tailored Mini Seat Covers from stock. We particularly recommend the Jaguar leopard skin pattern, and the very hard wearing, washable 'Royal Stuart' red tartan.

A set of these most attractive seat covers will add a real touch of luxury to your car.

(P/Carriage 1/6d.)

**Royal Stuart £6.19.6**

**Jaguar £7.19.6**

### Armada Arm Rests

c

Used by half the Minis in this years Monte Carlo Rally, these easily fitted rests support both the arm and the accelerator leg. Do not restrict use of the door pocket.

Black or Red (P/Post 3/-) Per Pair

34s.6d



### Door Stay

b

Stainless Steel Door Stay, clicks into position to hold the door shut, needs a firm push to release it. Utilises existing holes and screws.

Each (P/Postage 7s.)

7s.6d

### Dunlop Guard Mats

Very hard wearing floor mats in Red or Black, tailor made to fit the inner floor of your Mini. Protects carpets or improves existing rubber floors.

Per Set (P/Postage 4/-)

£2.0.0

## Dash Panel

'Mini-Dash'

a



This attractively designed dashboard is finished in wood grained plastic, which is both scratch and shrapnel resistant, and can be fitted to either MINI van or car in 5 minutes. **THE SPEEDOMETER REMAINS FULLY VISIBLE.** The dashboard is available with either 1 or 4 holes to accept 2" dia. instruments, or without any additional holes as a decorative panel only. It can, of course, be drilled to fit toggle switches as required. Notes may be scribbled on it and removed with damp cloth when desired. Available in the following finishes:- Rich Brown Walnut, Silver Gray Walnut, Natural Figured Japanese Oak, or reddish brown Sapele. Suitable for all Minis. Panel approx. 3/16" thick. Accepts 2" dia. Smith's, A.C. Moto-meter, etc. instruments.

(P/Carriage 7/6d.)

32s.6d

### Super Mini-Dash

a

Similar in design to above, but made in beautiful real WALNUT veneer and very highly polished to rich brown. Equally suitable for standard, de-luxe or Cooper Minis.

(P/Carr. 7/6d.)

£2.15.0

### Deluxe Mini-Dash

Our extremely popular wood-grained plastic-faced MINI-DASH may now be made into a deluxe version by the addition of brown self-adhesive black, quilted P.V.C. fabric padding.

Available for both the top portion of the dash and the front of the parcel tray shell. The quilted padding may be purchased separately if required.



BROWN OR GREY, WALNUT OR

SAPLE-GRAINED DASH PANEL.

BLACK, QUILTED TOP PADDING

BLACK, QUILTED SHELF FRONT PADDING

£1. 12. 6. (P/Carriage 7/6d)

£1. 1. 0. (P/Post. 1/6d)

£1. 1. 0. (P/Post. 1/6d)

COMBINING ALL 3 ITEMS

(P/Carriage 7/6d.)

£3.12.6

## Supplementary Instruments

## MOTOMETER

a

### A 2" Ammeter

Highest standards of precision ensure absolute dependability. Price £11. 18/6.

### B 2" Oil Pressure Gauge Kit

Complete with copper fitting, union and T" piece for pipe line assembly and retention of oil warning light. Full scale 0-100 lbs. 58/6.

### C Woodruff Outside-Inside Thermometer

Shows temperature outside and inside the vehicle. Red signal light warns when the outside temperature falls near freezing point. Fully illuminated. Full scale 0-100. 24. 8/6. 60 mm bracket 3/6.

### D Car Clock

Automatic - powered by the car battery, yet unaffected by magnet change. Famous Kenilworth movement. Usage accuracy - unaffected by temperature changes. Shock protected. Internally illuminated: 12 volt. Complete with bush and fitting straps. 2" (52 mm) 34/6. 100 mm) 36/4.

### E 2" Water Temperature Gauges

Motor-Meter with the regulators of these gauges. Full scale dial 37/6. Short scale dial 46/6.



Balance your Carburettors with

the "SYNCHRO-FEST"

At last - accurate synchronisation of 2 or more jets, made possible

by smooth idling. Optimum distribution of mixture

Rapid, easy starting. Low fuel consumption. No idling operating instructions.

Price: (P/Post 2/-)

## Speedwell Instruments

a

Exceptionally high quality Speedwell made instruments. 2" dia. with black dial and chrome bezel. Internally lit.

AMMETER	£1. 11. 8.
WATER TEMPERATURE GAUGE complete with radiator hose fitting (Hose fittings cannot be fitted to corrugated hoses)	£3. 5. 0.
Alternative special thermostat housing fitting. (A type engine) Extra	7. 5.
OIL PRESSURE GAUGE complete with pipeline assembly	£3/9. 0.
If the oil warning light is to be retained a YEE-PIECE will be required. Extra	3. 0.
COMBINED WATER TEMPERATURE AND OIL PRESSURE GAUGE complete with fittings and pipeline. (All instruments P/Postage 2/- extra)	£5. 10. 0.

A LARGE SELECTION OF LAMPS AND ACCESSORIES ALWAYS IN STOCK.

## Smith's Instruments

b

### A Ammeter Kit

Complete with wiring required for electrical connections. (P/Car. 2/-) £1. 7. 0.

### B Water Temperature Gauge Kit

Complete with water elbow and union. (P/Post 2/-) £3. 7. 5.

### C Engine Performance Gauge Kit

Complete with all fittings and full instructions. (P/Post 2/-) £3. 10. 0.

### D Oil Pressure Gauge Kit

Complete with 5" pipeline and tee-piece, in suitable oil warning light to be retained. (P/Post 2/-) £3. 5. 0.

### E Dual Oil Pressure/Water Temp. Gauge Kit

Complete with 5" pipeline and tee-piece, water elbow and union. (P/Post 2/-) £6. 5. 0.

### F Electric Clock

Complete with wiring. (P/Post 2/-) £5. 6. 11.



Electronic Rev. Counter 3 1/2" dia. Black Dial. For the real enthusiast it is essential at all times to know the RPM of the engine. Only by this information can the expert driver be fully aware of engine and gearbox behaviour. The use of transistor and printed circuit techniques and the vast experience of Smith's instrument engineers have led to the development of this attractive, reasonably priced tachometer.

This simple-to-fit instrument comes complete with requisite leads and mounting bracket. (P/Post 3/-) £9. 10. 0.

Chrome Plated Instrument Sub-Panel. Specially designed to accept any 2" dia. instruments, this attractive sub-panel will give much satisfaction to the enthusiastic driver. (P/Post 2/-) £1. 13. 6.

### Instrument Mounting Brackets

We can supply single or twin instrument mounting brackets, attractively finished in chrome plate, to accept any 2" dia. instruments.

SINGLE HOLE BRACKET (P/Post 6d.) 4s. 6d.  
TWIN HOLE BRACKET (P/Post 1/-) 7s. 6d.



## Panels & Horns

### Cotel Mini-Panel

The Vinyl steel laminate of the panel is finished in Cream Moroccan embossing, and trimmed with Black P.V.C. piping.

It is COMPLETE WITH OIL PRESSURE GAUGE with pipe and all accessories, and AMMETER.  
The panel also includes 2 FLICK SWITCHES for additional lights or other accessories, and a polarised plug and socket for battery charging, inspection lamp or razor.  
Fitted in 20 minutes. (P/Post 2/6d.)

£3.19.6



### Barnacle Mini Panel



Fitting under the Speedometer this black-crocodile finish panel houses two auxiliary instruments to choice, a flick switch, foot pedal change warning light, and a polarised 2 pin plug and socket.  
Available as follows:-

MINI-PANEL with Ammeter & Temperature Gauge	£4.12.6
Ammeter & Oil Gauge complete with fittings	£4.11.6
Temperature Gauge & Oil Gauge complete with fittings	£6.11.0

(ALL P/Postage 4/-)

### Wipac 'Mini-Alpine' Horn



The Mini-owner's 'Alpine-horn' horn set & on extra string is necessary as they come complete and ready to connect in existing looms. These Clear-Hooter Alpines are tuned to give an impressive and personalised warning note, and have fantastic power and range. Fitted in a few minutes. (P/Post 2/6d.)

65s.0d

## Wood Rim Steering Wheel

Formula D/Lane

In addition to giving that individual appearance and Continental styling to your car, a wood rimmed steering wheel will greatly increase your pleasure in driving.

These wheels are beautifully made with polished, best-wood rims that are properly 'fingered' for your added comfort and safety. The spokes are formed from highly polished duralumin, and continue round the full perimeter of the wheel for maximum strength.

A safety feature is that in the event of impact, there is far less chance of injury caused by the wheel fracturing than is with the normal type steering wheel.

Has four spokes, and accepts the Horn Pattern Assembly that is fitted to the normal production steering wheel on your car.

(P/Postage 2/6d.) £7.12.6



### 'Avanti' Wood Rim Steering Wheel

Specification similar to above, but with slimmer rim and different type boss centre exposing rivets. Rich, dark finished wood, very highly polished.

(P/Postage 2/6d.) £5.19.6

## Accessories

### Steering Column Adjuster by S.P.Q.R.

Simple to fit brackets to lower the steering column and give a more comfortable driving position.

(P/Postage 1/-) 12s.6d

### Sun Visor

Very attractive, full width Sun Visor with chromium plated end fittings. Gives restful driving coupled with smart looks. Available in Green or Smoke Grey Perspex.

(P/Carriage 6/6d.) £3.12.6



### Lehrange Fuel Tank

Auxiliary fuel tank fitting in opposite side of boot to increase fuel capacity to 110 gallons. Separate exterior filler cap. Strongly made from sheet steel.

(P/Carriage 16/-) £8.19.6